



Beschreibung Description

	<table border="1"> <tr><td>AC2316</td><td>Typ Type</td><td>Bus PNP</td></tr> <tr><td></td><td>Spannung Voltage</td><td>26,5...31,6 V DC</td></tr> <tr><td></td><td>Strom Current</td><td>100mA</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-20...+70°C</td></tr> <tr><td></td><td>Schaltabstand Sensing range</td><td>4mm</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP67</td></tr> <tr><td></td><td>Anschluss Connection</td><td>M12</td></tr> </table>	AC2316	Typ Type	Bus PNP		Spannung Voltage	26,5...31,6 V DC		Strom Current	100mA		Temperatur Temperature	-20...+70°C		Schaltabstand Sensing range	4mm		Schutzart Enclosure	IP67		Anschluss Connection	M12		<table border="1"> <tr><td>IN5285</td><td>Typ Type</td><td>2x N.O., PNP</td></tr> <tr><td></td><td>Spannung Voltage</td><td>10-36V DC</td></tr> <tr><td></td><td>Strom Current</td><td>250mA</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-20...+80°C</td></tr> <tr><td></td><td>Schaltabstand Sensing range</td><td>4mm</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP67</td></tr> <tr><td></td><td>Anschluss Connection</td><td>M18</td></tr> </table>	IN5285	Typ Type	2x N.O., PNP		Spannung Voltage	10-36V DC		Strom Current	250mA		Temperatur Temperature	-20...+80°C		Schaltabstand Sensing range	4mm		Schutzart Enclosure	IP67		Anschluss Connection	M18
AC2316	Typ Type	Bus PNP																																											
	Spannung Voltage	26,5...31,6 V DC																																											
	Strom Current	100mA																																											
	Temperatur Temperature	-20...+70°C																																											
	Schaltabstand Sensing range	4mm																																											
	Schutzart Enclosure	IP67																																											
	Anschluss Connection	M12																																											
IN5285	Typ Type	2x N.O., PNP																																											
	Spannung Voltage	10-36V DC																																											
	Strom Current	250mA																																											
	Temperatur Temperature	-20...+80°C																																											
	Schaltabstand Sensing range	4mm																																											
	Schutzart Enclosure	IP67																																											
	Anschluss Connection	M18																																											
	<table border="1"> <tr><td>IN5224</td><td>Typ Type</td><td>2x N.O., PNP/NPN</td></tr> <tr><td></td><td>Spannung Voltage</td><td>10-36V DC</td></tr> <tr><td></td><td>Strom Current</td><td>250mA</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-20...+80°C</td></tr> <tr><td></td><td>Schaltabstand Sensing range</td><td>4mm</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP67</td></tr> <tr><td></td><td>Anschluss Connection</td><td>M12</td></tr> </table>	IN5224	Typ Type	2x N.O., PNP/NPN		Spannung Voltage	10-36V DC		Strom Current	250mA		Temperatur Temperature	-20...+80°C		Schaltabstand Sensing range	4mm		Schutzart Enclosure	IP67		Anschluss Connection	M12		<table border="1"> <tr><td>IN5290</td><td>Typ Type</td><td>2x N.O., PNP/NPN</td></tr> <tr><td></td><td>Spannung Voltage</td><td>10-36V DC</td></tr> <tr><td></td><td>Strom Current</td><td>250mA</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-25...+80°C</td></tr> <tr><td></td><td>Schaltabstand Sensing range</td><td>4mm</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP67</td></tr> <tr><td></td><td>Kabel Cable</td><td>2m</td></tr> </table>	IN5290	Typ Type	2x N.O., PNP/NPN		Spannung Voltage	10-36V DC		Strom Current	250mA		Temperatur Temperature	-25...+80°C		Schaltabstand Sensing range	4mm		Schutzart Enclosure	IP67		Kabel Cable	2m
IN5224	Typ Type	2x N.O., PNP/NPN																																											
	Spannung Voltage	10-36V DC																																											
	Strom Current	250mA																																											
	Temperatur Temperature	-20...+80°C																																											
	Schaltabstand Sensing range	4mm																																											
	Schutzart Enclosure	IP67																																											
	Anschluss Connection	M12																																											
IN5290	Typ Type	2x N.O., PNP/NPN																																											
	Spannung Voltage	10-36V DC																																											
	Strom Current	250mA																																											
	Temperatur Temperature	-25...+80°C																																											
	Schaltabstand Sensing range	4mm																																											
	Schutzart Enclosure	IP67																																											
	Kabel Cable	2m																																											
	<table border="1"> <tr><td>IN5225</td><td>Typ Type</td><td>2x N.O., PNP</td></tr> <tr><td></td><td>Spannung Voltage</td><td>10-36V DC</td></tr> <tr><td></td><td>Strom Current</td><td>250mA</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-25...+80°C</td></tr> <tr><td></td><td>Schaltabstand Sensing range</td><td>4mm</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP67</td></tr> <tr><td></td><td>Anschluss Connection</td><td>M12</td></tr> </table>	IN5225	Typ Type	2x N.O., PNP		Spannung Voltage	10-36V DC		Strom Current	250mA		Temperatur Temperature	-25...+80°C		Schaltabstand Sensing range	4mm		Schutzart Enclosure	IP67		Anschluss Connection	M12		<table border="1"> <tr><td>IN5251</td><td>Typ Type</td><td>2x N.O., PNP</td></tr> <tr><td></td><td>Spannung Voltage</td><td>10-36V DC</td></tr> <tr><td></td><td>Strom Current</td><td>250mA</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-25...+80°C</td></tr> <tr><td></td><td>Schaltabstand Sensing range</td><td>4mm</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP67</td></tr> <tr><td></td><td>Kabel Cable</td><td>2m</td></tr> </table>	IN5251	Typ Type	2x N.O., PNP		Spannung Voltage	10-36V DC		Strom Current	250mA		Temperatur Temperature	-25...+80°C		Schaltabstand Sensing range	4mm		Schutzart Enclosure	IP67		Kabel Cable	2m
IN5225	Typ Type	2x N.O., PNP																																											
	Spannung Voltage	10-36V DC																																											
	Strom Current	250mA																																											
	Temperatur Temperature	-25...+80°C																																											
	Schaltabstand Sensing range	4mm																																											
	Schutzart Enclosure	IP67																																											
	Anschluss Connection	M12																																											
IN5251	Typ Type	2x N.O., PNP																																											
	Spannung Voltage	10-36V DC																																											
	Strom Current	250mA																																											
	Temperatur Temperature	-25...+80°C																																											
	Schaltabstand Sensing range	4mm																																											
	Schutzart Enclosure	IP67																																											
	Kabel Cable	2m																																											
	<table border="1"> <tr><td>IN5280</td><td>Typ Type</td><td>N.O., PNP</td></tr> <tr><td></td><td>Spannung Voltage</td><td>10-36V DC</td></tr> <tr><td></td><td>Strom Current</td><td>250mA</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-20...+80°C</td></tr> <tr><td></td><td>Schaltabstand Sensing range</td><td>4mm</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP67</td></tr> <tr><td></td><td>Anschluss Connection</td><td>M12</td></tr> </table>	IN5280	Typ Type	N.O., PNP		Spannung Voltage	10-36V DC		Strom Current	250mA		Temperatur Temperature	-20...+80°C		Schaltabstand Sensing range	4mm		Schutzart Enclosure	IP67		Anschluss Connection	M12		<table border="1"> <tr><td>IN507A</td><td>Typ Type</td><td>2x N.O., PNP</td></tr> <tr><td></td><td>Spannung Voltage</td><td>10-30V DC</td></tr> <tr><td></td><td>Strom Current</td><td>100mA</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-20...+60°C</td></tr> <tr><td></td><td>Schaltabstand Sensing range</td><td>4mm</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP67</td></tr> <tr><td></td><td>Anschluss Connection</td><td>M12</td></tr> </table>	IN507A	Typ Type	2x N.O., PNP		Spannung Voltage	10-30V DC		Strom Current	100mA		Temperatur Temperature	-20...+60°C		Schaltabstand Sensing range	4mm		Schutzart Enclosure	IP67		Anschluss Connection	M12
IN5280	Typ Type	N.O., PNP																																											
	Spannung Voltage	10-36V DC																																											
	Strom Current	250mA																																											
	Temperatur Temperature	-20...+80°C																																											
	Schaltabstand Sensing range	4mm																																											
	Schutzart Enclosure	IP67																																											
	Anschluss Connection	M12																																											
IN507A	Typ Type	2x N.O., PNP																																											
	Spannung Voltage	10-30V DC																																											
	Strom Current	100mA																																											
	Temperatur Temperature	-20...+60°C																																											
	Schaltabstand Sensing range	4mm																																											
	Schutzart Enclosure	IP67																																											
	Anschluss Connection	M12																																											
	<table border="1"> <tr><td>NN5008</td><td>Typ Type</td><td>2x N.C.</td></tr> <tr><td></td><td>Spannung Voltage</td><td>8,2V DC</td></tr> <tr><td></td><td>Strom Current</td><td>< 1mA / < 3mA</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-20...+70°C</td></tr> <tr><td></td><td>Schaltabstand Sensing range</td><td>4mm</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP67</td></tr> <tr><td></td><td>Anschluss Connection</td><td>M12</td></tr> </table>	NN5008	Typ Type	2x N.C.		Spannung Voltage	8,2V DC		Strom Current	< 1mA / < 3mA		Temperatur Temperature	-20...+70°C		Schaltabstand Sensing range	4mm		Schutzart Enclosure	IP67		Anschluss Connection	M12		<table border="1"> <tr><td>NN5009</td><td>Typ Type</td><td>2x N.C.</td></tr> <tr><td></td><td>Spannung Voltage</td><td>8,2V DC</td></tr> <tr><td></td><td>Strom Current</td><td>< 1mA / < 3mA</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-20...+70°C</td></tr> <tr><td></td><td>Schaltabstand Sensing range</td><td>4mm</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP67</td></tr> <tr><td></td><td>Kabel Cable</td><td>2m</td></tr> </table>	NN5009	Typ Type	2x N.C.		Spannung Voltage	8,2V DC		Strom Current	< 1mA / < 3mA		Temperatur Temperature	-20...+70°C		Schaltabstand Sensing range	4mm		Schutzart Enclosure	IP67		Kabel Cable	2m
NN5008	Typ Type	2x N.C.																																											
	Spannung Voltage	8,2V DC																																											
	Strom Current	< 1mA / < 3mA																																											
	Temperatur Temperature	-20...+70°C																																											
	Schaltabstand Sensing range	4mm																																											
	Schutzart Enclosure	IP67																																											
	Anschluss Connection	M12																																											
NN5009	Typ Type	2x N.C.																																											
	Spannung Voltage	8,2V DC																																											
	Strom Current	< 1mA / < 3mA																																											
	Temperatur Temperature	-20...+70°C																																											
	Schaltabstand Sensing range	4mm																																											
	Schutzart Enclosure	IP67																																											
	Kabel Cable	2m																																											
	<table border="1"> <tr><td>E10137</td><td>Typ Type</td><td>AC/DC</td></tr> <tr><td></td><td>Spannung Voltage</td><td>20-250V</td></tr> <tr><td></td><td>Strom Current</td><td>4A (40°C)</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-20...+70°C</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP67</td></tr> <tr><td></td><td>Anschluss Connection</td><td>M18</td></tr> </table>	E10137	Typ Type	AC/DC		Spannung Voltage	20-250V		Strom Current	4A (40°C)		Temperatur Temperature	-20...+70°C		Schutzart Enclosure	IP67		Anschluss Connection	M18		<table border="1"> <tr><td>E11509</td><td>Typ Type</td><td>AC/DC</td></tr> <tr><td></td><td>Spannung Voltage</td><td>250V</td></tr> <tr><td></td><td>Strom Current</td><td>4A (40°C)</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-25...+100°C</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP68</td></tr> <tr><td></td><td>Anschluss Connection</td><td>M12</td></tr> </table>	E11509	Typ Type	AC/DC		Spannung Voltage	250V		Strom Current	4A (40°C)		Temperatur Temperature	-25...+100°C		Schutzart Enclosure	IP68		Anschluss Connection	M12						
E10137	Typ Type	AC/DC																																											
	Spannung Voltage	20-250V																																											
	Strom Current	4A (40°C)																																											
	Temperatur Temperature	-20...+70°C																																											
	Schutzart Enclosure	IP67																																											
	Anschluss Connection	M18																																											
E11509	Typ Type	AC/DC																																											
	Spannung Voltage	250V																																											
	Strom Current	4A (40°C)																																											
	Temperatur Temperature	-25...+100°C																																											
	Schutzart Enclosure	IP68																																											
	Anschluss Connection	M12																																											
	<table border="1"> <tr><td>EVC004</td><td>Typ Type</td><td>AC/DC</td></tr> <tr><td></td><td>Spannung Voltage</td><td>AC: 250V / DC: 300V</td></tr> <tr><td></td><td>Strom Current</td><td>4A</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-25...+90°C</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP67/IP68/IP69K</td></tr> <tr><td></td><td>Anschluss Connection</td><td>M12, 2m PUR</td></tr> </table>	EVC004	Typ Type	AC/DC		Spannung Voltage	AC: 250V / DC: 300V		Strom Current	4A		Temperatur Temperature	-25...+90°C		Schutzart Enclosure	IP67/IP68/IP69K		Anschluss Connection	M12, 2m PUR		<table border="1"> <tr><td>EVC005</td><td>Typ Type</td><td>AC/DC</td></tr> <tr><td></td><td>Spannung Voltage</td><td>AC: 250V / DC: 300V</td></tr> <tr><td></td><td>Strom Current</td><td>4A</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-25...+90°C</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP67/IP68/IP69K</td></tr> <tr><td></td><td>Anschluss Connection</td><td>M12, 5m PUR</td></tr> </table>	EVC005	Typ Type	AC/DC		Spannung Voltage	AC: 250V / DC: 300V		Strom Current	4A		Temperatur Temperature	-25...+90°C		Schutzart Enclosure	IP67/IP68/IP69K		Anschluss Connection	M12, 5m PUR						
EVC004	Typ Type	AC/DC																																											
	Spannung Voltage	AC: 250V / DC: 300V																																											
	Strom Current	4A																																											
	Temperatur Temperature	-25...+90°C																																											
	Schutzart Enclosure	IP67/IP68/IP69K																																											
	Anschluss Connection	M12, 2m PUR																																											
EVC005	Typ Type	AC/DC																																											
	Spannung Voltage	AC: 250V / DC: 300V																																											
	Strom Current	4A																																											
	Temperatur Temperature	-25...+90°C																																											
	Schutzart Enclosure	IP67/IP68/IP69K																																											
	Anschluss Connection	M12, 5m PUR																																											
	<table border="1"> <tr><td>EVC007</td><td>Typ Type</td><td>DC PNP</td></tr> <tr><td></td><td>Spannung Voltage</td><td>10-36V, LED</td></tr> <tr><td></td><td>Strom Current</td><td>4A</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-25...+90°C</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP67/IP68/IP69K</td></tr> <tr><td></td><td>Anschluss Connection</td><td>M12, 2m PUR</td></tr> </table>	EVC007	Typ Type	DC PNP		Spannung Voltage	10-36V, LED		Strom Current	4A		Temperatur Temperature	-25...+90°C		Schutzart Enclosure	IP67/IP68/IP69K		Anschluss Connection	M12, 2m PUR		<table border="1"> <tr><td>EVC008</td><td>Typ Type</td><td>DC PNP</td></tr> <tr><td></td><td>Spannung Voltage</td><td>10-36V, LED</td></tr> <tr><td></td><td>Strom Current</td><td>4A</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-25...+90°C</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP67/IP68/IP69K</td></tr> <tr><td></td><td>Anschluss Connection</td><td>M12, 5m PUR</td></tr> </table>	EVC008	Typ Type	DC PNP		Spannung Voltage	10-36V, LED		Strom Current	4A		Temperatur Temperature	-25...+90°C		Schutzart Enclosure	IP67/IP68/IP69K		Anschluss Connection	M12, 5m PUR						
EVC007	Typ Type	DC PNP																																											
	Spannung Voltage	10-36V, LED																																											
	Strom Current	4A																																											
	Temperatur Temperature	-25...+90°C																																											
	Schutzart Enclosure	IP67/IP68/IP69K																																											
	Anschluss Connection	M12, 2m PUR																																											
EVC008	Typ Type	DC PNP																																											
	Spannung Voltage	10-36V, LED																																											
	Strom Current	4A																																											
	Temperatur Temperature	-25...+90°C																																											
	Schutzart Enclosure	IP67/IP68/IP69K																																											
	Anschluss Connection	M12, 5m PUR																																											
	<table border="1"> <tr><td>E17320</td><td>Design Design</td><td>ISO 5211</td></tr> <tr><td></td><td>Durchmesser Diameter</td><td>53mm</td></tr> <tr><td></td><td>Wellenhöhe Shaft height</td><td>20mm</td></tr> <tr><td></td><td>Bohrbild Hole spacing</td><td>80x30mm</td></tr> </table>	E17320	Design Design	ISO 5211		Durchmesser Diameter	53mm		Wellenhöhe Shaft height	20mm		Bohrbild Hole spacing	80x30mm		<table border="1"> <tr><td>E17327</td><td>Design Design</td><td>ISO 5211</td></tr> <tr><td></td><td>Durchmesser Diameter</td><td>65mm</td></tr> <tr><td></td><td>Wellenhöhe Shaft height</td><td>30mm</td></tr> <tr><td></td><td>Bohrbild Hole spacing</td><td>80x30mm</td></tr> </table>	E17327	Design Design	ISO 5211		Durchmesser Diameter	65mm		Wellenhöhe Shaft height	30mm		Bohrbild Hole spacing	80x30mm																		
E17320	Design Design	ISO 5211																																											
	Durchmesser Diameter	53mm																																											
	Wellenhöhe Shaft height	20mm																																											
	Bohrbild Hole spacing	80x30mm																																											
E17327	Design Design	ISO 5211																																											
	Durchmesser Diameter	65mm																																											
	Wellenhöhe Shaft height	30mm																																											
	Bohrbild Hole spacing	80x30mm																																											
	<table border="1"> <tr><td>E17328</td><td>Design Design</td><td>ISO 5211</td></tr> <tr><td></td><td>Durchmesser Diameter</td><td>102mm</td></tr> <tr><td></td><td>Wellenhöhe Shaft height</td><td>30mm</td></tr> <tr><td></td><td>Bohrbild Hole spacing</td><td>130x30mm</td></tr> </table>	E17328	Design Design	ISO 5211		Durchmesser Diameter	102mm		Wellenhöhe Shaft height	30mm		Bohrbild Hole spacing	130x30mm		<table border="1"> <tr><td>N0533A</td><td>Spannung Voltage</td><td>24V DC</td></tr> <tr><td></td><td>Strom Current</td><td>< 50mA</td></tr> <tr><td></td><td>Temperatur Temperature</td><td>-20...+60°C</td></tr> <tr><td></td><td>Kanäle Channels</td><td>2</td></tr> <tr><td></td><td>Schutzart Enclosure</td><td>IP20</td></tr> </table>	N0533A	Spannung Voltage	24V DC		Strom Current	< 50mA		Temperatur Temperature	-20...+60°C		Kanäle Channels	2		Schutzart Enclosure	IP20															
E17328	Design Design	ISO 5211																																											
	Durchmesser Diameter	102mm																																											
	Wellenhöhe Shaft height	30mm																																											
	Bohrbild Hole spacing	130x30mm																																											
N0533A	Spannung Voltage	24V DC																																											
	Strom Current	< 50mA																																											
	Temperatur Temperature	-20...+60°C																																											
	Kanäle Channels	2																																											
	Schutzart Enclosure	IP20																																											